

## **Lutron PH-201 DIGITAL PH/mV/TEMP METER**

- Economical cost digital PH meter
- General purpose applications
- Easy operation
- Compact size, light weight
- **Applications:** water conditioning, aquariums, beverage, fish hatcheries, food processing, photography, laboratory, paper industry, school and colleges, plating industry, quality control, swimming pools
- **Supplied without** PH electrode

OPTIONAL ACCESSORIES		
HS-02	Carrying case	
CA-04	Carrying soft case	
PE-01	PH electrode (0-14 PH)	
PE-11	PH electrode (0-14 pH)	
PE-03	PH electrode (0-13 pH)	
PH-04	Calibration solution (pH 4)	
PH-07	Calibration solution (pH 7)	

SPECIFICATIONS			
Display:	13 mm LCD, 3 1/2 digits		
Measurement:	PH		
Range/resolution:	0 to 14 pH x 0.01 pH		
Accuracy:	PH5 - PH9	±0.07 pH	
	PH4 - PH10	±0.1 pH	
	PH1 - PH3.9 - PH10.1 - PH13	±0.2 pH	
Input impedance:	10-12 ohms		
PH range temp. compensation:	no adjust.		
Sampling time:	approx. 0.4 second		
Operating temperature:	0°C to 50°C (32°F to 122°F)		
Operating humidity:	less than 80% RH		
Calibration knob:	external PH 4 (slope adj.) & PH 7 (cal.adj)		
Power supply:	006P DC 9V battery		
Power consumption:	approx. 2.0 mA		
Dimension:	131 x 70 x 25 mm		
Weight:	153 gr. (including battery)		

Clean Rooms | Pharma | Hospital | HVAC | BulkDrugs | Chemicals | Heavy Machinery | Hydraulics | Vacuum Industry Green House | Server Room | Confined Space | Cold Storage





